



BY LUSHLASH

MATERIAL SAFETY DATA SHEET EYELASH LIFT ADHESIVE

SECTION 1. PRODUCT NAME AND COMPANY IDENTIFICATION

- ✧ **Company Name** – LL Lashes Limited
- ✧ **Company Address** – 5 Newland street, Witham, Essex, CM8 2JD
- ✧ **Company Contact Number** – 01376 617340
- ✧ **Company Email** – sales@lush-lash.com
- ✧ **Contact Name** – Emma Smith / Lisa Fitch
- ✧ **MSDS Name** : Adhesive, Eyelash lift Adhesive

SECTION 2. HAZARDS IDENTIFICATION

- ✧ Classification of the substance or mixture



GHS07

- | | | |
|------------------------------|----|-------------------------------------|
| ✧ Acute Toxicity, Oral | 4 | H302 Harmful if swallowed |
| ✧ Skin Irrit. | 2 | H315 Causes skin irritation. |
| ✧ Eye Irrit. | 2A | H319 Causes serious eye irritation. |
| ✧ STOT SE irritation. | 3 | H335 May cause respiratory |
| ✧ Respiratory System cancer. | 3 | H351 Suspected of causing |

-
- ✧ H227 Combustible liquid.

- ✧ **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Irritant

Irritating to eyes, respiratory system and skin.

- ✧ **Information concerning particular hazards for human and environment:**

- ✧ The product has to be labeled due to the calculation procedure of international guidelines.

- ✧ **Classification system:**

- ✧ The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- ✧ **Label elements:**

- ✧ GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

- ✧ **Hazard pictograms**



GHS07

- ✧ **Signal word Warning**

- ✧ **Hazard-determining components of labeling:**

- ✧ Hazard statements Combustible liquid. Causes skin irritation.

- ✧ Causes serious eye irritation. May cause respiratory irritation.

- ✧ Precautionary statements

- ✧ Keep away from flames and hot surfaces. – No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray

- ✧ Wear protective gloves / eye protection / face protection. Wear protective gloves.

- ✧ Wear eye protection / face protection. Wash thoroughly after handling.

- ✧ Use only outdoors or in a well-ventilated area.

- ✧ **If in eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- ✧ Specific treatment (see on this label).

- ✧ **IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- ✧ Call a poison center/doctor if you feel unwell.
- ✧ **If skin irritation occurs:** Get medical advice/attention.
- ✧ **If eye irritation persists:** Get medical advice/attention.
- ✧ **In case of fire:** Use for extinction: CO₂, powder or water spray. If on skin: Wash with plenty of water.
- ✧ Take off contaminated clothing and wash it before reuse. Store locked up.
- ✧ Store in a well-ventilated place. Keep container tightly closed.
- ✧ Store in a well-ventilated place. Keep cool.
- ✧ Dispose of contents/container in accordance with local/regional/national/international regulations.

- ✧ **Other hazards**
- ✧ **Results of PBT and vPvB assessment**
- ✧ **PBT:** Not applicable.
- ✧ **vPvB:** Not applicable

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Mixtures

- ✧ **Description:** Mixture of the substances listed below with nonhazardous additions.

| Components: | CAS No. | Concentration |
|-----------------------|----------------|----------------------|
| Water | 7732-18-5 | 45-55% |
| Butyl Hydroxy Anisole | 100-66-3 | 30-40% |
| Propylene Glycol | 57-55-6 | 10-20% |

SECTION 4. FIRST AID MEASURES

Description of first aid measures

- ✧ **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- ✧ **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- ✧ **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- ✧ **After swallowing:** Call a doctor immediately.

Information for doctor:

- ✧ **Most important symptoms and effects, both acute and delayed**
Breathing difficulty
- ✧ **Indication of any immediate medical attention and special treatment needed**
- ✧ No further relevant information available.

SECTION 5. FIRE FIGHTING MEASURES

Extinguishing media

- ✧ **Suitable extinguishing agents:**
- ✧ CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- ✧ **For safety reasons unsuitable extinguishing agents:** Water with full jet
- ✧ **Special hazards arising from the substance or mixture** Nitrogen oxides (NO_x)

Advice for firefighters

- ✧ **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- ✧ **Personal precautions, protective equipment and emergency procedures:**
- ✧ Ensure adequate ventilation
- ✧ **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- ✧ Methods and material for containment and cleaning up:
- ✧ Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- ✧ Allow to solidify. Pick up mechanically. Ensure adequate ventilation.
- ✧ Do not use cotton or natural fiber cloths for clean up

Reference to other sections

- ✧ See Section 7 for information on safe handling
- ✧ See Section 8 for information on personal protection equipment.
- ✧ See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling Notes:

- ✧ **Precautions for safe handling**
- ✧ Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight.
- ✧ Ensure good ventilation/exhaustion at the workplace.
- ✧ **Information about protection against explosions and fires:** No special measures required.
- ✧ Conditions for safe storage, including any incompatibilities

Storage:

- ✧ Requirements to be met by storerooms and receptacles:
- ✧ Store in a cool location.
- ✧ Store only in the original receptacle.
- ✧ **Information about storage in one common storage facility:** Store away from oxidizing agents.
- ✧ **Further information about storage conditions:** Keep receptacle tightly sealed.
- ✧ **Specific end use(s)** No further relevant information available.

SECTION 8. EXPOSURE CONTROL/PERSONAL PROTECTION

Additional information about design of technical systems: No further data; see item 7.

- ✧ Control parameters

| | |
|---|--|
| Components with limit values that require monitoring at the workplace: | |
| 100-66-3 Butyl Hydroxy Anisol | |
| TLV | Long-term value: 1 mg/m ³ , 0.2 ppm |

- ✧ **Additional information:** The lists that were valid during the creation were used as basis.

- ✧ **Exposure controls**

- ✧ **Personal protective equipment:**

- ✧ General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- ✧ **Breathing equipment:** Not necessary if room is well-ventilated.
- ✧ **Protection of hands:**



Protective gloves Impervious gloves

- ✧ The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- ✧ Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- ✧ **Material of gloves**
- ✧ The selection of the suitable gloves does not only depend on the material, but also on furthermarks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
- ✧ Nitrile rubber, NBR
- ✧ Penetration time of glove material
- ✧ The exact break through time has to be found out by the manufacturer of the protectivegloves and has to be observed.
- ✧ Not suitable are gloves made of the following materials:
- ✧ Cotton or natural fibersPVC gloves

- ✧ **Eye protection:**
- ✧ Safety glasses



- ✧ Tightly sealed goggles

- ✧ **Body protection:** Protective work clothing

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- ✧ Information on basic physical and chemical properties
- ✧ **General Information**
- ✧ Appearance:
- ✧ **Form:** Liquid
- ✧ **Color:** Off White
- ✧ **Odor:** Characteristic
- ✧ **Odour threshold:** Not determined.
- ✧ **pH-value:** Not determined.
- ✧ Change in condition
- ✧ **Melting point/Melting range:** Undetermined.
- ✧ **Boiling point/Boiling range:** > 150 °C (> 302 °F)

- ✧ **Flash point:** 87 °C (189 °F)
- ✧ **Flammability (solid, gaseous):** Not applicable.
- ✧ **Ignition temperature:**
- ✧ **Decomposition temperature:** Not determined.
- ✧ **Auto igniting:** Product is not self-igniting.
- ✧ **Danger of explosion:** Not determined.
- ✧ **Explosion limits:**
- ✧ **Lower:** Not determined.
- ✧ **Upper:** Not determined.
- ✧ Vapor pressure at 20 °C (68 °F): **0.3 hPa**
- ✧ **Density:** Not determined.
- ✧ **Relative density** Not determined.
- ✧ **Vapour density** Not determined.
- ✧ **Evaporation rate** Not determined.
- ✧ **Solubility in / Miscibility with**
- ✧ **Water:** Not miscible or difficult to mix.
- ✧ **Partition coefficient (n-octanol/water):** Not determined.
- ✧ **Viscosity:**
- ✧ **Dynamic:** Not determined.
- ✧ **Kinematic:** Not determined.
- ✧ **Solvent content:**
- ✧ **Organic solvents:** 0.0 %
- ✧ **Solids content:** 100.0 %
- ✧ **Other information** No further relevant information available.

SECTION 10. STABILITY AND REACTIVITY

- ✧ **Reactivity**
- ✧ **Chemical stability**
- ✧ **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- ✧ Possibility of hazardous reactions
- ✧ Reacts with alcohols, amines, aqueous acids and alkalis. Reacts with water and acids.
- ✧ **Conditions to avoid** No further relevant information available.
- ✧ **Incompatible materials:** No further relevant information available.
- ✧ **Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11. Toxicological Information

Information on toxicological effects

- ✧ **Acute toxicity:**
- ✧ Primary irritant effect:
- ✧ **on the skin:** Irritant to skin and mucous membranes.
- ✧ **on the eye:** Irritating effect.
- ✧ **Sensitization:** No sensitizing effects known.
- ✧ **Additional toxicological information:**
- ✧ The product shows the following dangers according to internally approved calculation methods for preparations: **Irritant**

- ✧ **Carcinogenic categories**

| | | |
|--|----------------------|---|
| • IARC (International Agency for Research on Cancer) | | |
| 100-66-3 | Butyl Hydroxy Anisop | 3 |
| • NTP (National Toxicology Program) | | |
| None of the ingredients is listed. | | |
| • OSHA-Ca (Occupational Safety & Health Administration) | | |
| None of the ingredients is listed. | | |

SECTION 12. Ecological Information

- ✧ **Toxicity**
- ✧ **Aquatic toxicity:** No further relevant information available.
- ✧ **Persistence and degradability** No further relevant information available.
- ✧ Behavior in environmental systems:
- ✧ **Bioaccumulative potential** No further relevant information available.
- ✧ **Mobility in soil** No further relevant information available.
- ✧ Additional ecological information:
- ✧ **General notes:**
- ✧ Water hazard class 1 (Self-assessment): slightly hazardous for water
- ✧ Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- ✧ Results of PBT and vPvB assessment
- ✧ **PBT:** Not applicable.
- ✧ **vPvB:** Not applicable.

- ✧ **Other adverse effects** No further relevant information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

✧ **Recommendation:**

- ✧ Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging's:

- ✧ **Recommendation:** Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

✧ **UN-Number**

✧ **DOT** NA1993

✧ **ADN, IMDG, IATA** **Void**

✧ **UN proper shipping name**

✧ **DOT** Void

✧ **ADN, IMDG, IATA** **Void**

✧ **Transport hazard class(es)**

✧ **DOT, ADN, IMDG, IATA**

✧ **Class** Void

✧ **Packing group**

✧ **DOT** III

✧ **IMDG, IATA** Void

✧ **Environmental hazards:**

✧ **Marine pollutant:** No

✧ **Special precautions for user** **Not applicable.**

✧ Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code **Not applicable.**

✧ **Transport/Additional information:**

✧ **DOT**

✧ **Quantity limitations** On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L

✧ **UN "Model Regulation":** -

SECTION 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

| | |
|--|--|
| · Section 355 (extremely hazardous substances): | |
| N/A | |

| | |
|--|--|
| · Section 313 (Specific toxic chemical listings): | |
| N/A | |

| | |
|---|----------------------|
| · TSCA (Toxic Substances Control Act): | |
| 100-66-3 | Butyl Hydroxy Anisol |

Proposition 65

| | |
|---|----------------------|
| · Chemicals known to cause cancer: | |
| 100-66-3 | Butyl Hydroxy Anisol |

| | |
|--|--|
| · Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients is listed. | |

| | |
|--|--|
| · Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |

| | |
|---|--|
| · Chemicals known to cause developmental toxicity: | |
| None of the ingredients is listed. | |

Carcinogenic Categories

| | | |
|--|----------------------|----------|
| · EPA (Environmental Protection Agency) | | |
| 100-66-3 | Butyl Hydroxy Anisol | 3 (oral) |

| | | |
|---|----------------------|----|
| · TLV (Threshold Limit Value established by ACGIH) | | |
| 100-66-3 | Butyl Hydroxy Anisol | A2 |

| | | |
|---|----------------------|--|
| · NIOSH-Ca (National Institute for Occupational Safety and Health) | | |
| 100-66-3 | Butyl Hydroxy Anisol | |

- ✧ **GHS label elements.** The product is classified and labeled according to the Globally Harmonized System (GHS).

SECTION 16. OTHER INFORMATION

Preparation Information

- ✧ Creation Date: 14/07/2015

- ✧ Last Revision: 24/02/2018

- ✧ **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

DOT: US Department of Transportation

ACGIH: American Conference of Governmental Industrial

Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

: Flammable liquids, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3