



BY LUSHLASH

MATERIAL SAFETY DATA SHEET Pre-Treatment Primer

SECTION 1. PRODUCT NAME AND COMPANY IDENTIFICATION

- ✧ Company Name – LL Lashes Limited
- ✧ Company Address – 5 Newland street, Witham, Essex, CM8 2JD
- ✧ Company Contact Number – 01376 617340
- ✧ Company Email – sales@lush-lash.com
- ✧ Contact Name – Emma Smith / Lisa Fitch
- ✧ MSDS Name : Pre-Treatment Primer

SECTION 2. HAZARDS IDENTIFICATION

- ✧ **EMERGENCY OVERVIEW:**
- ✧ Appearance: Colourless liquid
- ✧ **Potential Health Effects**
- ✧ **Eye:** Contact with vapour or liquid may irritate the eyes Skin: Slightly irritating the skin
- ✧ **Ingestion:** May cause pain, nausea and vomiting.
- ✧ Inhalation: Vapour can cause headache, nausea and irritation of the nose, throat and lungs Vapor is irritating to eyes, skin and mucous membranes and respiratory tract.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS NO.	%by weight (approximate)
Water	7732-18-5	81%
PVP	9003-398	5%
Poly(Acrylate)	79-10-7	4%
Ethanol	64-17-5	10%

SECTION 4. FIRST AID MEASURES

- ✧ **Eye:** Immediately flush eyes with running water for 15 minutes. If redness, itching or a burning sensation develops, see a physician.
- ✧ **Skin:** Flush skin with plenty of soap and water. Ingestion: Get medical attention immediately.
- ✧ **Inhalation:** If victim is conscious and alert, give 2-4 cupful's of milk or water.
- ✧ Never give anything by mouth to an unconscious person. Get medical aid immediately.
- ✧ **Notes to Physician:** None for this material

SECTION 5. FIRE FIGHTING MEASURES

- ✧ **Extinguishing media:** use dry chemical, carbon dioxide, foam or spray as appropriate for surrounding fire.
- ✧ **Fire extinguishing instructions:** Do not enter and enclosed or confined fire space without full protective equipment, including self-contained breathing apparatus to protect against the hazardous effects of combustion products and oxygen deficiency.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- ✧ **Spills:** Dike and absorb with inert material such as sand and remove all liquid with the use of a vacuum systems. If unable to remove liquid, then begin to absorb with sand, saw dust or commercial absorbent and scoop up and place in containers for proper disposal. Keep spills and cleaning runoff out of the municipal sewers and open bodies of water. Decontaminate all clothing and the spill area with a detergent and large amount of water.

SECTION 7. HANDLING AND STORAGE

Handling:

- ✧ Keep away from heat, sparks and flame. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation.

Storage:

- ✧ keep container closed when not in use. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep containers tightly closed.

SECTION 8. EXPOSURE CONTROL/PERSONAL PROTECTION

- ✧ **Protective Clothing/Equipment:** the use of gloves impermeable to the specific material handled is advised to prevent skin contact and possible irritation. Use Chemical Goggles if splashing may occur

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- ✧ **Physical State:** Liquid
- ✧ **Water Solubility:** Soluble
- ✧ **Boiling Point:** 100C

SECTION 10. STABILITY AND REACTIVITY

Hazardous Decomposition Products:

- ✧ Thermal decomposition may yield acrylic monomer, carbon monoxide and carbon dioxide. Unidentified organic compounds in fumes and smoke may be formed during combustion.

SECTION 11. DISPOSAL CONSIDERATIONS

Disposal:

- ✧ Dispose of used product or contaminated product and material used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.

SECTION 12. TRANSPORT INFORMATION

- ✧ **IATA:** Not restricted CLASS: Unlisted
- ✧ **UN Number:** Unlisted

SECTION 13. OTHER INFORMATION

- ✧ The information contained herein is based upon data and information available to us and reflects our best professional judgement, but is offered without guarantee or warranty. This information is furnished upon the condition that the person receiving it shall make their own determination of the suitability of the material for this particular use.